

# FRITZ HANSEN



ONELINE™  
PRODUCT FACT SHEET

# ONELINE™

Applying design to everyday, functional objects, Oneline™ is a purposeful pendant light with an artistic expression. The minimalist pendant is shaped from metal into a sleek line of light, suspended from silver-tone cables to elegantly illuminate space. Referencing Poul Kjærholm's purist lines and minimal use of materials. It is fitted with long-lasting LED technology and is dimmable so it can provide ambient and task lighting in a range of settings – from the kitchen to the office.

## PRODUCT TYPE

Pendant

## ENVIRONMENT

Indoor

## DESIGNER / YEAR OF DESIGN

Kasper Kjeldgaard, 2022

## ABOUT THE DESIGNER

In the handful of years since Danish designer Kasper Kjeldgaard graduated from the Royal Danish Academy of Fine Arts, he's well and truly earned himself a seat at the table. In an extraordinarily short space of time, he's been crowned Craftsman of the Year at the Danish Design Awards, received the DUKE grant from the Danish Arts Foundation and scored a permanent collection at Designmuseum Danmark. Kjeldgaard's work has a refined expression with a clear emphasis on craftsmanship. From permanent public or private installations to interior design objects and lightning, his work has gained international recognition and been exhibited in Los Angeles, Miami, New York and Milan.

## MODEL

Online-S

## VARIANTS



## MATERIAL

Shade: Hairline brushed stainless steel, Untreated brass\*  
 Suspension: Hairline brushed stainless steel, Untreated brass\*  
 Cord and wire: Wire ("naked")

\*Please note that brass will patinate

## FEATURES

- Build in LED
- Light source included
- Connector unit

## CONNECTOR UNIT

- Offers the possibility to join two lamps seamlessly
- Available in all colours at a fixed length of 6,3 cm / 2.5"
- Note that each lamp must be installed as a standalone, as the connector does not transfer electricity

## WARRANTY

2 years

## CERTIFICATIONS AND DECLARATIONS

CE, CB

## LAMP RATING AND SPECIFICATIONS

Voltage: 230 V

Frequency: 50-60 Hz

IP Rating: IP20

Isolation class: Class II

Light source included: Yes (LED)

Replaceable LED: No

Dimmable: Yes

- Dali version via external DALI equipment or Push Switch
- Zigbee via internal driver making it compatible with most dimming apps (requires hub)

Energy label: G

## COUNTRY OF ORIGIN

China

## PRE-ASSEMBLED

No

## PACKAGING

The pendant is protected with foam inserts and shipped in cardboard. All packaging material can be recycled.

## CLEANING AND CARE

Find recommendations for cleaning and care at: [fritzhanzen.com/maintenance](https://fritzhanzen.com/maintenance)

## REPAIR, DISPOSAL AND REUSE

In case of repair and disposal the pendant can be disassembled into parts. All parts can be recycled. Check local regulations for recycling options and whether there is potential for reuse.

**DIMENSIONS**

Height: 1,6 cm / 0.6"  
 Width: 86,4 cm / 34"  
 Depth: 1,6 cm / 0.6"

**WEIGHT**

1,2 kg / 2.6 lb

**CORD**

Length: 12 m / 472.4"  
 Material: Wire  
 Colour: Silver

**CANOPY**

Included: Yes  
 Material: Plastic

**LIGHT SOURCE**

Lamp base: LED array  
 Max wattage: 26W  
 LOR: 100%  
 LED lifetime (lumen maintenance): 48.000 H L80  
 Lumen output: 1591 lm  
 Colour temperature: 2700 k  
 CRI: 90  
 SDCM: 3

**LED FACTS**

Flicker Pst LM: 0,0709  
 Flicker SVM: 0,0154  
 LED risk group: Risk group 0

**PRODUCT CODE**

Brass, Dali: 14290518  
 Black PVD, Dali: 14290708

Brass, Zigbee: 14291118  
 Steel, Zigbee: 14291200  
 Black PVD, Zigbee: 14291308

Connector unit, Brass: 18631518  
 Connector unit, Steel: 18631600  
 Connector unit, Black PVD: 18631708

**EAN**

Brass, Dali: 5702370000820  
 Black PVD, Dali: 5702370000844

Brass, Zigbee: 5702370174149  
 Steel, Zigbee: 5702370174156  
 Black PVD, Zigbee: 5702370174163

Connector unit - Brass: 5702370001025  
 Connector unit - Steel: 5702370001032  
 Connector unit - Black PVD: 5702370001049

**PACKAGING DIMENSIONS**

Height: 6,5 cm / 2.6"  
 Width: 99 cm / 39"  
 Depth: 14 cm / 5.5"  
 Weight: 1,7 kg / 3.7 lb

**COLLI**

8

